

This is a digital copy of a book that was preserved for generations on library shelves before it was carefully scanned by Google as part of a project to make the world's books discoverable online.

It has survived long enough for the copyright to expire and the book to enter the public domain. A public domain book is one that was never subject to copyright or whose legal copyright term has expired. Whether a book is in the public domain may vary country to country. Public domain books are our gateways to the past, representing a wealth of history, culture and knowledge that's often difficult to discover.

Marks, notations and other marginalia present in the original volume will appear in this file - a reminder of this book's long journey from the publisher to a library and finally to you.

Usage guidelines


Google is proud to partner with libraries to digitize public domain materials and make them widely accessible. Public domain books belong to the public and we are merely their custodians. Nevertheless, this work is expensive, so in order to keep providing this resource, we have taken steps to prevent abuse by commercial parties, including placing technical restrictions on automated querying.

We also ask that you:

- + *Make non-commercial use of the files* We designed Google Book Search for use by individuals, and we request that you use these files for personal, non-commercial purposes.
- + Refrain from automated querying Do not send automated queries of any sort to Google's system: If you are conducting research on machine translation, optical character recognition or other areas where access to a large amount of text is helpful, please contact us. We encourage the use of public domain materials for these purposes and may be able to help.
- + *Maintain attribution* The Google "watermark" you see on each file is essential for informing people about this project and helping them find additional materials through Google Book Search. Please do not remove it.
- + *Keep it legal* Whatever your use, remember that you are responsible for ensuring that what you are doing is legal. Do not assume that just because we believe a book is in the public domain for users in the United States, that the work is also in the public domain for users in other countries. Whether a book is still in copyright varies from country to country, and we can't offer guidance on whether any specific use of any specific book is allowed. Please do not assume that a book's appearance in Google Book Search means it can be used in any manner anywhere in the world. Copyright infringement liability can be quite severe.


About Google Book Search

Google's mission is to organize the world's information and to make it universally accessible and useful. Google Book Search helps readers discover the world's books while helping authors and publishers reach new audiences. You can search through the full text of this book on the web at http://books.google.com/









N616,93 W75



SPECIAL INDICATIONS

FOR

TWENTY-FIVE REMEDIES

IN

INTERMITTENT FEVER,

BY

T. P. WILSON, M.D.,

PROFESSOR OF THEORY AND PRACTICE, AND OPHTHALMIC AND AURAL SURGERY, UNIVERSITY OF MICHIGAN.

PHILADELPHIA:
BOERICKE & TAFEL.
1880.

COPYRIGHTED, 1880.

۵

::

SHERMAN & Co., Prs., Philadelphia, Pa.

PREFACE.

Prof. H. C. Allen's recent work on Intermittent Fever, of which this is an abridgment, is, without doubt, the most valuable work of the kind ever published.

The gauntlet has been fairly thrown by him into the teeth of that wide-spread and popular error that quinine is the grand specific for fever and ague.

And when quinine is abandoned, the question arises, how can we use the Homœopathic Materia Medica so as to make it available in such cases? Clearly we must simplify our understanding of it.

The following twenty-five remedies cover the ground in a large majority of cases. It does not seem a hopeless task for the student to master the indications for these drugs.

In order that cases may be cured promptly, we insist:

- 1. The right remedy must be chosen.
- 2. It must not be given too frequently.
- 3. It must not be changed because the paroxysm returns.
 - 4. Only one remedy must be given at a time.
 - 5. It must be given in the higher attenuations.

NOTE.—The spaces left are for the insertion of additional characteristics as may please the student or practitioner.

T. P. W.

ANN ARBOR, MICH., 1880.

NOTE.

THE name of the drug is printed on the back of the page containing the symptoms, in order that the student may the better exercise his memory.

	•	
		•
		
ing sensa ticaria.	tion. Grea	t oppi
eristically (deficient or v	vanting
CILCUICATION V		vanung
CI ISSICUITY V		vanting
	warmth. tolerable, co	

1*

APIS.

Time.
Prodrome. Pulmonary hemorrhage.
Chill. Back and shoulders. Worse after eating, and in warm room.
Fever. Skin very dry, not hot.
Sweat. Profuse, like beads on the skin. Cough, with stitches in the side.
Apyrexia. Sensation of a splinter (mucous membrane). Dyspepsia.

ARGENT. NIT.

Time. Early morning, or evening.

Prodrome. Sore aching pains as from a bruise.

Thirst for large quantities of water, which refreshes.

Drawing pains as if in the periosteum.

Chill. To the extent of shivering only; most severe in pit of stomach. Crawling as if cold water were running down the back. Pain in muscles of back and extremities as if bruised.

Fever. Heat; thirst less. Weak, faintness on sitting up. Complains of the bed feeling so hard, must change position often.

Sweat. Sour, fetid, offensive. Sometimes cold.

Apyrexia. Bruised feeling continues; yellow face.

Aversion to meat. Eructations tasting like rotten eggs.

ARNICA MONT.

Time.	All	times;	mostly	1	to 2 P.M.	Anticipating.
-------	-----	--------	--------	---	-------------	---------------


Prodrome. Inclination to lie down; weak. Somnia night before. Diarrhœa.

Chill. Undefined; mingled with heat. Alternation of chill with heat. Amelioration from warmth; little thirst. Nausea from drink; vomiting.

Fever. Long lasting. Restlessness; wants water to cool the mouth. Unquenchable thirst; drinks little. Burning like hot water in blood-vessels. Oppressed breathing.

Sweat. Cold and clammy, exhausting. No relief. Thirst for large quantities. Prostration; buzzing in ears.

Apyrexia. Prostration; pale; sallow; bloated. Diarrhea.



Time. Not very characteristic. Anticipating.

Prodrome. Thirst; headache, as if it would burst.

Morose, irritable, easily vexed. Stretching and drawing in limbs.

Chill. Predominates; frequently only on right side. Violent dry cough, stitches in chest. Better in open air; begins in extremities; stitching in spleen.

Fever. Dry burning, internal; blood seems to burn in veins. Sufferings greatly aggravated; hurts to move. Thirst. Pulse full, hard, quick.

Sweat. Intermitting; may be only on single parts; sometimes profuse on side on which he lies. Night sweats—sour; oily.

Apyrexia. Nausea and faintness from sitting up. Exercise easily excites sweat. Constipation; dry, hard stools.

BRYONIA, ALB.

Time. Not limited.


Prodrome. Extreme paleness of face, with fixed and stupid look. Weak, slow, or frequent pulse. Suffocative oppression.

Chill. Icy coldness all over the body, with pallor of the face. Though cold to the touch, he will not remain covered. Lividity of the skin; cold, clammy perspiration on forehead. Unconsciousness. Clonic spasms.

Fever. Transient, with vertigo. Excessive burning, insatiable, or continued thirst. Full pulse; suppression of urine. Distension of veins increased by every motion.

Sweat. Excessive, cold, clammy, exhausting.

Apyrexia. Feels weak, relaxed. No sexual desire. Complete loss of appetite and thirst, though drink pleases.




Time. Irregular. Prodrome. Toothache, headache, pain in limbs: sweat. Chill. With icy coldness of body, and cold breath. Cold feet, toothache, coldness of knees in bed. Contracted, cold cadaverous tongue and face. sided chill. Fever. Without thirst; headache; nausea; vertigo. Wants to be fanned. Oppressed respiration. Sweat. Profuse; sour at night; when eating. Easy to sweat and easy to chill. Apyrexia. Paleness of face; prostration, melan-cholia. Weak memory; belching; fetid breath. Abuse of quinine. Indigestion.




Time.	Afternoon.	Quotidia	ns or tertians.	
			s. <i>Cerebral co</i> arshy regions	
seaso	ons.		cold feet, burni	
<i>Cold</i> lar it	ness of hands,	feet, and r ms. Con	nose. Clock-litracted and tear	ike regu
	Dry; heat.		uick pulse;	red face
Sweat.	Profuse, w	ith thirst.	Contracting	pains in
Apyrez	kia. Cold a n drinks.	and pale.	Thirst and o	desire for

CEDRON.



CHINA.

Time. 10 A.M., 3 and 10 P.M., every other day.	
Prodrome. Nothing special.	_
Chill. Violent shaking chill; decided; thirst. in back (dorsal region). Pain in left hypochondr. Appetite.	——Pain
Fever. Thirst. Delirium; easily sweating when fectly quiet. Spine painful on pressure. Enlament of veins in arms and legs.	per- irge-
Sweat. Most when quiet. Headache worse. fuse. Pain in back on pressure (lumbar and dor	
Apyrexia. Thirst. Cachectic debility. Short; bility; exhausting perspirations.	



Time. All times. No regularity.

Prodrome. Thirst. Heaviness in legs.

Chill. Commences with clenching of the hands and violent raging. Pain in all the joints, as if tendons were too short. Thirst; but drinking aggravates all the symptoms.

Fever. No thirst; dry throat; frequent gagging, during entire hot stage. Headache; dry cough; oppression of breathing; anxiety; heaviness in middle of chest; pressure in esophagus as if constricted.

Sweat. Mostly on head and chest; musty smelling; offensive odor to him; ravenous hunger.

Apyrexia. Thirst; drinking satisfies without aggravating.

CIMEX LECT.

	•			
Time. Is next day	characteristic. , light.	7 to 9	A.M., seve	ere; 12 m.,
Prodrome and vom bones of	. Thirst for atting. Canno extremities; as	water, vot drink	vhich cau enough.	ises nausea Pains in
ing at c	irst, vomiting lose of chill, o	vorse fro	m drinkin	
Fever. The but still	irst, vomiting vomits bitter i	, <i>bone p</i> duids.	ains. Le	ess nausea,
	eneral relief of ch		adache.	Inverse in

Apyrexia. Imperfect, bilious, yellowness of skin. Slight bone pains. Threatening intermittent.

EUPATORIUM PERFOL.

Time. Day or evening.

Prodrome. *Itching stinging nettlerash.* Previous abuse of mercury; diarrhea occasionally.

Chill. *Itching stinging nettlerash.* Worse in open air. Aggravation of all the symptoms. Cannot bear drafts of air.

Fever. Dry burning; red face. Great thirst for acid drinks.

Sweat. Day and night without relief. From slightest motion; sweat, with flushes of heat. Offensive. Sour.

Apyrexia. Eruption of sore pimples on skin. Boils. Very sensitive to cold air; wants to be covered.

HEP. SULPHUR.

Time. Irregularity of hour characteristic. Postpoing or anteponing.	on.
Prodrome. Yawning, stretching, shuddering.	
Chill. Thirst for large quantities of water, only chill. Relieved by heat of stove. Shaking; goo flesh.	iı See
Fever. Intolerence of external warmth; must be a covered. No thirst; external heat and redness face. Tendency to faint. Nettle-rash.	
Sweat. Sensation as if sweat would break out all o body, which does so very slightly or not at all, cept on face. Warm sweat; most on the face; de sleep.	ex
Apyrexia. Complete.	

IGNATIA.

				•	
Time.	11 а.м	. Every o	ther day.	Type quotidi	an.
		Gastric d Back and l		es; yawning Nausea.	and
ness	of uppe	from warmer parts of d by drinki	body. H	nal; short. (Iands and feet sea.	cold
cont	tinued;	nal; thirst; alternate co d cough.	nausea, oldness an	and vomiting d paleness of	long face
Sweat	. Wor	se during.	Sour.	Stains yellow.	
	xia. (rbances.	Irregular diet	may

IPECACUANHA.

Time. Afternoon, 2 P.M., or at night. Aggravations at night and after sleeping. Return annually every spring.

Prodrome.

Chill. Chattering of teeth; shaking chill, with warm sweat. Rigors running up the back; flushes of heat. Spasms in young children during chill. Relieved by weight or holding down.

Fever. Generally irregular; in flashes; tendency of fever fits to return every night, lasting until morning. *Throat sensitive to touch or pressure.

Sweat. Copious toward morning. Warm during chill; cold after fever.

Apyrexia. Unrefreshing sleep; worse after sleep. Weak; faint, with pale face; or yellow complexion, with vermillion red cheeks; melancholy.

LACHESIS TRIGON.

Time.	Irregular.
Prodro	ome.
Chill. body	Cold to the knees; fingers and toes cold; warm. Coldness of abdomen (internal), insed by pressure.
Fever.	No thirst. Flashes of heat.
Sweat	. Continuing all night.
Apyre	xia. Hunger. Desire for meat .

MENYANTHES.

Time.	All hours (mo	orning and evening	g) .
Prodro			<u>:</u>
Chill.	On going into	the open air.	
	Alternate hea not in bed.	t and cold. Hear	in bed; child
Sweat.	Profuse at f. Offensive.	night while sleep	oing. Withou
Apyre	xia. Tongue	heavily coated.	Skin sallov

MERCURIUS (Cor. and Sol.)

Time. Characteristic in the morning; 10 to 11 A.M. Every day.* Rarely in the evening.

Prodrome. Dreads the chill. Thirst for large drinks of water.

Chill. Violent; beginning in hands and feet, which are icy cold. Blue lips and nails. Chattering of teeth; long-lasting chill.

Fever. Thirst; hammering headache. Long, severe heat. Excessive weakness compels him to lie down.

Sweat. Profuse, aggravated by motion. Pains gradually relieved, except headache.

Apyrexia. Never clear; feels weak, debilitated; livid, sickly complexion. *Emaciation*; loss of taste and appetite; fever blisters around mouth.

NATRUM, MUR.


- Time. Evening, lasting until morning. Early morning. Anticipating.
- Prodrome. Painful drawing in legs. Paralytic weakness in legs. Sometimes *heat*; or sweat occasionally.
- Chill. Severe and long; four hours evening chill. Shaking morning chill, one hour. Blue hands and nails. Warmth does not relieve; worse from drinking.
- Fever. Thirst; Long-lasting heat; whole body burning hot; must be covered up, notwithstanding great heat of body.
- Sweat. Usually light. Relieves pain in limbs. Sensitive to cold air.
- Apyrexia. Gastric and bilious symptoms. Morning, headache. Paralytic weakness of legs; constipation.

NUX VOMICA.


Time. Morning or evening. Old quotidians. poorly in autumn. Tertians.	Acts
Prodrome.	
Chill. Light, or severe and short; commences is between shoulder blades. Cold, pinched sens unable to get warm. Slight thirst; head nausea.	ation;
Fever. Of long duration, but not very high. numb sensation; no desire to stir. Headache, f face. Very little thirst.	

Sweat. Slight, lasting until morning. No thirst. (One or two observers give the sweat as profuse, but this I know is not the case from actual observation; the sweat is slight, and is attested by a great majority of observers—UTTER.)

Apyrexia. Short; variable. Disorder of liver and abdominal viscera. Jaundiced skin; constipation; dull headache.



Time. 4 P.M.; recurring every 14 days.	
Prodrome. Diarrhœa (at night); nausea. Thirs drowsiness.	_ t ;
Chill. No thirst; one-sided; over abdomen as around sacrum and back. Hands and feet cold, as seem dead. Room seems too hot.	
Fever. Violent. Thirst. Aggravated by warmt feels for cool places in the bed. Wants to be uncoered, which relieves.	h,
Sweat. One-sided; pains continue.	
Apyrexia. Gastric uneasiness; no appetite. Mucos diarrhea. Constant chilliness.	 us



Time. Evening, 7 P.M.

Prodrome. Burning in the eyes; slimy mouth; thirst; dry teasing cough. Exposure to wet and wearing wet clothes. Sprained feeling in maxillary joint. Fever occasionally.

Chill. Constant, as if cold water was poured over him. Feeling as if the blood was running cold through the veins. Increased by drinking; chill in single parts, simultaneous heat in others.

Fever. May either precede or succeed the chill. Nettle rash worse from scratching. Heat, as if hot water were running through the veins. Restlessness; must move about.

Śweat. Profuse; sour. Sweat relieves. Thirst; restlessness. Urticaria is relieved.

Apyrexia. Skin symptoms may continue in very modified form. Not characteristic.

RHUS TOX.

Time. Mostly in evening, or may be any time of day.

Prodrome. Chronic malarial cachexia; abuse of quinine. Venous congestion without reaction; stupid.

Morning, diarrheea.

Chill. Internal, without thirst. External, with simultaneous internal heat; red face. Commencing in toes or sacrum, and running up the back; thirst late in chill.

Fever. Skin dry; thirst; internal "sick" feeling.

Heat in soles of feet, or cold feet with burning soles.

Wants to put feet out of bed to cool them.

Sweat. At night profuse, or early morning after waking. *Profuse*; sour; whole night; slight motion excites. Sleeplessness. **Morning**, diarrhea.

Apyrexia. Prostration; thirst for beer. Dry choking cough, or short dry cough on lying down in evening. Sleeplessness; itching of skin.

SULPHUR.

Time. 6 A.M. (Characteristic.)
Prodrome.
Chill. Severe; long-lasting (internal); increased by drinking; not relieved by external warmth. Thirs Collapsed.
Fever. Heat ascends from feet and limbs to head Cold sweat on face. Cold feet.
Sweat. Profuse; cold on face. Deathly paleness Vomiting and diarrhæa.
Apyrexia. Exhaustion. Cold sweat on face. Crave cold food and drinks.
UNIV. OF MICHIGAR,
OFC 19 1919

VERAT. ALB.